

ORDINANCE NUMBER 22
AN ORDINANCE OF THE COLMA FIRE PROTECTION DISTRICT
TO DESIGNATE FIRE HAZARD SEVERITY ZONES

Ordinance Adoption:

The Board of Commissioners of the Colma Fire Protection District does ordain as follows:

Ordinance Number 22 hereby accepts the designation of the Fire Hazard Severity Zones in the Local Responsibility Area as recommended by the California Department of Forestry and Fire Protection pursuant to Government Code Section 51178.

The Fire Hazard Severity Zones in the Local Responsibility Area maps of Broadmoor Village and the Town of Colma are accepted by the Colma Fire Protection District with no changes to the designation of moderate for the Town of Colma. Broadmoor Village has no designated severity zone classification area on the map. The maps for Broadmoor Village and The Town of Colma are hereby incorporated by reference and entitled Colma Fire Protection District Fire Hazard Severity Zones in the Local Responsibility Area.

The official maps for Broadmoor Village and the Town of Colma showing the areas of the Fire Hazard Severity Zones in the Local Responsibility Area are included in this ordinance.


The official maps for Broadmoor Village and the Town of Colma are also located electronically on the following website: www.colmafire.org

This Ordinance Number 22 shall take effect and be in force immediately after its approval and adoption as required by law.

Regularly passed and adopted this 24th day of June, 2025.

AYES and in favor of said Ordinance:

Commissioners: _____

NOES and against said Ordinance:


Commissioners: _____

Absent Commissioner: GINA SHERIDAN

ATTEST:

Chairperson, Board of Commissioners: _____

Business Coordinator: _____






Local Responsibility Area Fire Hazard Severity Zones

As Identified by the
State Fire Marshal

February 24, 2025




Fire Hazard Severity Zones (FHSZ) in Local Responsibility Area (LRA), as Identified by the State Fire Marshal

Very High High Moderate

Fire Hazard Severity Zones in State Responsibility Area (SRA), Effective April 1, 2024

Very High High Moderate



Projection: NAD 83 California Teale Albers
Scale: 1:292,000 at 11" x 17"

 Incorporated City Waterbody
 Unzoned LRA Federal Responsibility Area (FRA)

Government Code section 51178 requires the State Fire Marshal to identify areas in the state as moderate, high, and very high fire hazard severity zones based on consistent

statewide criteria and based on the severity of fire hazard that is expected to prevail in those areas. Moderate, high, and very high fire hazard severity zones shall be based on fuel loading, slope, fire weather,

and other relevant factors including areas where winds have been identified by the Office of the State Fire Marshal as a major cause of wildfire spread.

The State of California and the Department of Forestry and Fire Protection make no representations or warranties regarding the accuracy of data or maps. Neither the State nor the Department shall be liable under any circumstances for any direct, special, incidental or consequential damages with respect to any claim by any user or third party on account of, or arising from, the use of data or maps.

Gavin Newsom, Governor, State of California
 Wade Crowfoot, Secretary for Natural Resources, CA Natural Resources Agency
 Joe Tyler, Director/Fire Chief, CA Department of Forestry and Fire Protection
 Daniel Seibert, State Fire Marshal, CA Department of Forestry and Fire Protection


Data Sources:
 CAL FIRE Fire Hazard Severity Zones (FHSZSRA23_3, FHSZLRA_25_1)
 CAL FIRE State Responsibility Areas (SRA25_1)
 City and County boundaries as of 10/22/24 (CA Board of Equalization)



Local Responsibility Area Fire Hazard Severity Zones

As Identified by the
State Fire Marshal

February 24, 2025




Fire Hazard Severity Zones (FHSZ) in Local Responsibility Area (LRA), as Identified by the State Fire Marshal

Moderate

Fire Hazard Severity Zones in State Responsibility Area (SRA), Effective April 1, 2024

Moderate



Projection: NAD 83 California Teale Albers
Scale: 1:36,000 at 11" x 17"

Incorporated City Waterbody
 Unzoned LRA Federal Responsibility Area (FRA)

Government Code section 51578 requires the State Fire Marshal to identify areas in the state as moderate, high, and very high fire hazard severity zones based on consistent

statewide criteria and based on the severity of fire hazard that is expected to prevail in those areas. Moderate, high, and very high fire hazard severity zones shall be based on fuel loading, slope, fire weather,

and other relevant factors including areas where winds have been identified by the Office of the State Fire Marshal as a major cause of wildfire spread.

The State of California and the Department of Forestry and Fire Protection make no representations or warranties regarding the accuracy of data or maps. Neither the State nor the Department shall be liable under any circumstances for any direct, special, incidental or consequential damages with respect to any claim by any user or third party on account of, or arising from, the use of data or maps.

Gavin Newsom, Governor, State of California

Wade Crowfoot, Secretary for Natural Resources, CA Natural Resources Agency

Joe Tyler, Director, Fire Chief, CA Department of Forestry and Fire Protection

Daniel Ballard, State Fire Marshal, CA Department of Forestry and Fire Protection

Data Sources:

CAL FIRE Fire Hazard Severity Zones (FHSZSRA23_3 FHSZLRA_25_1)

CAL FIRE State Responsibility Areas (SRA25_1)


City and County boundaries as of 10/22/24 (CA Board of Equalization)



Local Responsibility Area Fire Hazard Severity Zones

As Identified by the
State Fire Marshal

February 24, 2025




Fire Hazard Severity Zones (FHSZ) in Local Responsibility Area (LRA), as Identified by the State Fire Marshal

Moderate

Fire Hazard Severity Zones in State Responsibility Area (SRA), Effective April 1, 2024

Moderate



Projection: NAD 83 California Teale Albers
Scale: 1:16,000 at 11" x 17"

Incorporated City

Unzoned LRA

Government Code section 51478 requires the State Fire Marshal to identify areas in the state as moderate, high, and very high fire hazard severity zones based on consistent

statewide criteria and based on the severity of fire hazard that is expected to prevail in those areas. Moderate, high, and very high fire hazard severity zones shall be based on fuel loading, slope, fire weather,

and other relevant factors including areas where winds have been identified by the Office of the State Fire Marshal as a major cause of wildfire spread.

The State of California and the Department of Forestry and Fire Protection make no representations or warranties regarding the accuracy of data or maps. Neither the State nor the Department shall be liable under any circumstances for any direct, special, incidental, or consequential damages with respect to any claim by any user or third party on account of, or arising from, the use of data or maps.

Gavin Newsom, Governor, State of California
Wade Crowfoot, Secretary for Natural Resources, CA Natural Resources Agency
Joe Tyler, Director/Fire Chief, CA Department of Forestry and Fire Protection
Daniel Behtant, State Fire Marshal, CA Department of Forestry and Fire Protection

Data Sources:

CAL FIRE Fire Hazard Severity Zones (FHS25RA32_3 FHS2LRA_25_1)
CAL FIRE State Responsibility Areas (SRA25_1)
City and County boundaries as of 10/22/24 (CA Board of Equalization)

Examples of State Minimum Requirements



SRA

LRA

VERY HIGH

Adopt FHSZ

CEQA

Subdivision Map Act

Safety Element

Fire Safe Regulations

Chapter 7A

Defensible Space

Hazard Disclosure

Subdivision Review

Adopt FHSZ

CEQA

Subdivision Map Act

Safety Element

Fire Safe Regulations

Chapter 7A

Defensible Space

Hazard Disclosure

Subdivision Review

Adopt FHSZ

CEQA

Subdivision Map Act

Safety Element

Fire Safe Regulations

Chapter 7A

Defensible Space

Hazard Disclosure

Subdivision Review

Adopt FHSZ

Chapter 7A*
Effective January 1, 2026

Hazard Disclosure

HIGH

Adopt FHSZ

CEQA

Subdivision Map

Safety Element

Fire Safe Regulations

Chapter 7A

Defensible Space

Subdivision Review

Adopt FHSZ

MODERATE

